

March 2020 Vol. 3

Author : PPN

PPN- The Leading Source of Industry News on Polymer Pipes and Plastic Pipe Failure

NEWSMAKERS: * Aliaxis * ASTM * Chevron Phillips * ExcelPlas * McElroy * Qenos * Rehau * SCG * Uponor * Univation * Vinidex

Characterization and Modeling of Slow Crack Growth (SCG) Behavior of Defective HDPE Pipes

<https://www.sciencedirect.com/science/article/abs/pii/S0142941820301859>

Steve Bell, Chief Executive of Qenos Said Protecting Operational Teams at the Company's HDPE Manufacturing Plants had Become a Major Concern Due to Corona Virus

<http://cloud.excelplas.com/s/RziN5g2JVmzazpy#pdfviewer>

Crosslinked Polyethylene (PEX) has 20 Times the Environmental Stress Crack Resistance of HDPE (Dramatic Video)

<https://www.polyprocessing.com/innovations/high-density-crosslinked-polyethylene/>

Pressure Tests for Fused HDPE Pipe Now Available on the McElroy Datalogger® 6

<https://press.mcelroy.com/pressure-tests-now-available-on-the-datalogger-6/>

Uponor PEX and PP-RCT Commercial Piping Systems at AHR 2020

<https://www.youtube.com/watch?v=q42GKI8YxtU>

Uponor Compares Material and Labor Costs of Five Pipe-System Types

<http://cloud.excelplas.com/s/jsTIBAdTaKi1N9j#pdfviewer>

Uponor NA Signs Agreement With PP-RCT Pipe Supplier

<https://www.contractormag.com/piping/press-release/20884215/uponor-na-signs-agreement-with-pestan>

New Opportunities Exist for Recycled HDPE in Corrugated Pipe

<https://www.recyclingtoday.com/article/a-pipeline-of-recycled-hdpe-opportunity/>

Industrial Application of Graphene in High-strength Polyethylene Applications (Qenos and Graphene Manufacturing Australia)

<https://www.business.gov.au/Grants-and-Programs/Cooperative-Research-Centres-Projects-CRCP-Grants/CRC-Projects-selection-round-outcomes>

Anyone Can Make PEX, Few Can Make PEXa, Only REHAU can Make RAUPEX™

<https://www.rehau.com/us-en/rehau-advantage-mechanical-and-plumbing>

Inferior Plumbing Pipes in Brisbane

<https://qbis.com.au/inferior-plumbing-brisbane/>

Rehau to Launch Radiant Installation System Showcasing PEXa Piping

<https://www.contractormag.com/industry-event-news/ahr/article/20880884/rehau-to-launch-radiant-installation-system-showcase-pexa-piping-technologies-at-ahr>

Univation Patents New Bimodal Polyethylene for HDPE Pipes

<https://patents.google.com/patent/US20200071509A1/en>

New PEX Standard ASTM F2905- 20 'Standard Specification for Crosslinked Polyethylene

(PEX) Line Pipe For Oil and Gas Producing Applications'

<https://www.astm.org/Standards/F2905.htm>

Vinidex Parent Aliaxis Completes Divestment of its US Distributor

<https://aliaxis.com/wp-content/uploads/2020/03/Press-Release-Harrington-Closing.pdf>

Vinidex Seeking Southern Region Quality Manager

<https://www.seek.com.au/job/41123532>

Iplex Seeking Sales Representative

<https://www.seek.com.au/job/41180698>

Looking for More Polymer Pipe News and Market Intelligence – Visit Our Web Portal

<https://www.polypipenews.com.au/>

Australian Plastic Pipe Testing Laboratory

ExcelPlas Laboratories provides a comprehensive plastic pipe joint testing service and is equipped with a state of the art laboratory to test a range of polymer materials including polyethylene and polypropylene. ExcelPlas can carry out testing on plastic tube and pipe ranging in wall thickness from 3 mm to 80 mm. ExcelPlas Laboratories provide a comprehensive service to Industrial & commercial companies, environmental consultants, Government bodies and local Authority customers throughout Australia & NZ. All testing is carried and out in accordance with ISO & ASTM methods and is fully accredited to ISO 17025 by NATA.

<http://www.excelplas.com/>

Assessing Remaining Service Life of Polyolefin Pipes (HDPE, PEX, PP-R, PB) (How Long Will My Pipes Last?)

ExcelPlas has developed Protocol for Determining the Remaining Service Life of In-Service HDPE Pipelines

The 5 step protocol is based on lab testing to measure the following:

- I. The oxidative induction time (OIT) profiling to assess whether or not oxidation protection is still afforded by the additives.
- II. Measure the carbonyl index (CI) to assess extent of any polymer oxidation that has occurred.

- III. Determine the critical CI at which oxidative stress cracking (OSC) is initiated.
- IV. Measure oxidative stress cracking resistance (OSCR) to determine the time until OSC is initiated.
- V. Measure the depth of micro cracking on 180 degree bent coupons by Scanning Electron Microscopy
- <http://www.excelplas.com/>

- PPN Now Offering Digital Ads, Featured Articles and Premium Positioning

- PPN Can Publish Press Releases and Time Sensitive Messages Instantly to a Global Geosynthetic Audience

Australian Poly Solutions Specialises in HDPE Pipe Fusion Welding and Hydrostatic Testing Services with Knowhow and Experience you can rely on

<https://www.aussiepoly.com.au/>

RITMO: APP - SET & GO! PRO Butt Fusion for Pressure Pipe

<https://www.ritmo.it/en/butt-fusion-for-pressure-pipe/app-set-go-pro/>

Video: <https://youtu.be/YP4GmmBdufU>

ExcelPlas Labs Pipe Failure Investigations

ExcelPlas Labs have created a new benchmark in failure analysis of HDPE, PP-R, PB and PEX pipes in addition to PVC & CPVC pipes as well as composite GRP and GRE pipes. When a plastic pipeline fails to perform as intended, our team can determine the root cause of failure (e.g. oxidative failure, chemical failure, creep failure, over-stress failure, fatigue failure, design failure, etc). ExcelPlas are experienced with all plastic piping failure modes and mechanisms including Slow Crack Growth (SCG) Rapid Crack Propagation (RCP), Environmental Stress Crack Resistance (ESCR), Oxidative Stress Cracking (OSC), cyclic fatigue, manufacturing defects, and polymer material problems.

<http://www.excelplas.com/>

ExcelPlas Strain Hardening Test (SHT) for HDPE Pipes

The SHT in accordance with ISO 18488 is a relatively new, but excellent way to obtain a rapid indication of the Stress Crack Growth (SCG) resistance of your piping material. This tensile test performed at 80°C has become in just a few years the new standard for Batch Release Testing (BRT). And not without reason. The test requires only a very small amount of material, the results are very reliable with a very low inter-laboratory scatter and the results are available within a few days, regardless of the PE grade. The SHT is usually performed on resin material but it can also be performed on samples taken directly from pipes or sheets. As accredited lab, EXCELPLAS is happy to discuss the possibilities with you, whether it is for BRT, benchmarking, quality control of your (high performing) PE grade or for polymer compliance/ validation.

<http://www.excelplas.com/>

Australian Plastic Pipe Testing Laboratory

ExcelPlas Laboratories provides a comprehensive plastic pipe joint testing service and is equipped with a state of the art laboratory to test a range of polymer materials including polyethylene and polypropylene. ExcelPlas can carry out testing on plastic tube and pipe ranging in wall thickness from 3 mm to 80 mm. ExcelPlas Laboratories provide a comprehensive service to Industrial & commercial companies, environmental consultants, Government bodies and local Authority customers throughout Australia & NZ. All testing is carried and out in accordance with ISO & ASTM methods and is fully accredited to ISO 17025 by NATA.

<http://www.excelplas.com/>

Australia's Plastic Pipe Testing Laboratory

ExcelPlas Laboratories provides a comprehensive plastic pipe joint testing service and is equipped with a state of the art laboratory to test a range of polymer materials including polyethylene and polypropylene. ExcelPlas can carry out testing on plastic tube and pipe ranging in wall thickness from 20mm to 1200mm. ExcelPlas Laboratories provide a comprehensive service to Industrial & commercial companies, environmental consultants, Government bodies and local Authority customers throughout Australia and Asia.

All testing is carried and out in accordance with ASTM, ISO & WIS methods and is fully accredited to ISO 17025 by NATA.

- Butt Fusion Weld Testing
- Weld Testing
- Testing of Electro-fusion Welds
- Tear on saddle joints
- Crush De-cohesion of Electro-fusion welds
- Polymer & Plastics Identification
- Chemical & Thermal Testing
- Site Audits

<http://www.excelplas.com/>

ExcelPlas - the Australian Pipes & Fittings Testing Laboratory

- Accredited to ISO 17025 by the National Association of Testing Authorities (NATA) Australia, and is Australia's largest laboratory dedicated for the testing of plastic pipes and fittings to various Standards which include Australian, European and International Standards.
- The staff employed at the laboratory have a combined experience of more than 85 years within the plastics industry specifically with manufacturing, quality control and the research and development of plastic piping systems including HDPE, PEX, PP-R, PVC, U-PVC, M-PVC, O-PVC, ABS, GRP, GRE and PB.
- Services provided include conformance testing, compliance testing, batch release testing, root cause analysis for field failures and non-destructive testing of samples.
- <http://www.excelplas.com/>

ExcelPlas Lab Specialising in HDPE Pipe Condition Monitoring, Failure Analysis and Testing

In the event of a HDPE butt weld or electrofusion weld failing during initial testing, or in service, we can conduct investigations to assist in identifying the root cause of the failure. This service also extends to the premature failure of the pipe or fitting itself.

<http://www.excelplas.com/plastic-pipes>

ExcelPlas Pipe Testing is a Leader in the Field of Polyethylene (PE) and High-Density Polyethylene (HDPE) Testing

ExcelPlas is accredited with the National Association of Testing Authorities (NATA) for butt weld tests, bend and tensile tests, peel decohesion tests on electro fusion sockets and failure mode determination

<http://www.polypipetesting.com.au/butt-fusion-welds/>

New UHMWPE Pipe for Tailing Offers Greater Than 4X the Abrasion Resistance of PE100 (Australia wide)

<http://slurrypipes.com.au/>

ExcelPlas Poly Pipe Weld Inspection Lists Top 7 Causes of Weld Failure:

- Lack of scraping
- Inaccurate scraping

- Contamination from dirt, water, oil or clays
- Lack of Paralell-ness of fusion faces
- Misalignment of surfaces
- Time, temperature and pressure deviations
- Not adhering to cool times

We have extensive experience in inspection of poly pipe welds for assuring welded joint quality. Direct Poly Pipe Inspection ensures that operators are following the proven welding procedure; this reduces the occurrences of operational errors which lead to defects such as inclusions, lack of fusion (LoF), porosity and misalignment.

More information, contact john@excelplas.com

Get Your HDPE Pipe Products or Services Noticed – Advertise in Poly Pipe News (PPN) Australia

<https://www.polypipenews.com.au/advertise/>

This Newsletter is brought to you by Excelplas Labs, Australia's Largest group of Poly Pipe Testing Labs.

Pipe Poly News (PPN) is now Australia's most current and comprehensive source of news on Polyethylene pipes and Poly Pipe Welding;

Poly Pipe News is now sent to over 4500 Poly Pipe Industry Members every week.

Any news requests should be sent to john@excelplas.com
To subscribe, visit <https://www.polypipenews.com.au/subscribe/>

2020 Copyright ExcelPlas Labs ?