

# November 2021 Vol. 1

Author : PPN

## PPN- The Leading Source of Industry News on Polymer Pipes and Plastic Pipe Testing

### *Global News on Plastic Piping and Fittings*

---

NEWSMAKERS: \* Activcat® \* Aliaxis \* Alwasail Industrial Co. \* Class Action \* CPVC \* ExcelPlas \* Failure Analysis \* FlowGuard \* GF Piping \* Grace \* Hydrogen Transport \* Metallocene \* PE100 \* PE-RT \* PPN \* Reliance Worldwide \* RWC \* Uponor

#### INDUSTRY NEWS

##### **Polyethylene Pipe Manufacturer Offering 2.5 Million Shares in IPO**

<https://www.arabnews.com/node/1961691/business-economy>

<https://www.argaam.com/en/article/articledetail/id/1508769>

##### **Baa3-Rated Belgian Pipe Manufacturer Aliaxis Issues Euro750Mill Debt with Seven Year Tenor**

<https://www.globalcapital.com/article/299nmt7kucgh5he3xpka0/comment/gc-view/europes-best-corporates-lose-some-benefit-of-top-rating>

##### **Aliaxis Leads Charge of Bottom Rung IG Corporates**

<https://cloud.excelplas.com/s/nRWJnsXzPAfzVPY#pdfviewer>

### **USA and Finland to Accelerate Business Partnership in Plastic Pipe**

Uponor is the biggest and arguably most successful venture among the Finnish investments in Minnesota.

From Apple Valley, the company's North American headquarters, Uponor is approaching \$500 million in revenue.

<https://www.startribune.com/minnesota-and-finland-want-to-accelerate-business-partnership/600111803/>

### **GF Launches its New Image Movie - Georg Fischer - Going Forward**

<https://www.georgfischer.com/en/newsroom/stories/gf-launches-its-new-image-movie.html>

### **Presentation on Hydrogen Transport Through PE100 Pipes**

<https://www.pe100plus.com/Download/News/PieceJointeInfo/fichier/443.pdf>

### **Aliaxis Seeking New Business Development Manager for Hydrogen Economy**

<https://be.linkedin.com/jobs/view/new-business-development-manager-hydrogen-at-aliaxis-2768380000?refId=9CbIWxnIvtz4FXlfCFKkcw-&trackingId=80gsW715cN2aybF0SARrYA-&position-17&pageNum-0&trk-public-jobs-jserp-result-search-card>

### **New ActivCat® Catalyst Technologies for PERT Pipes**

<https://grace.com/blog/activcat-catalyst-technologies-for-pert/>

### **Lawsuit Investigation for CPVC Pipe Failure**

<https://www.classaction.org/cpvc-pipe-lawsuits>

### **GF Piping Seeking Marketing Coordinator**

<https://www.seek.com.au/job/54724414>

### **Reliance (RWC) Delivers Big Bucks for Global Investors**

<https://www.moneymag.com.au/rwc-reliance-worldwide-shares>

## NEW RESEARCH

### **Effects of Polymerization Conditions on the Slow Crack Growth Resistance and Rheological Properties of Bimodal Polyethylene Pipe Resins**

[?https://onlinelibrary.wiley.com/doi/10.1002/app.51867](https://onlinelibrary.wiley.com/doi/10.1002/app.51867)

### **Investigations of the Critical Values of J-integral and Crack Tip Opening Displacement (CTOD) of HDPE PE100 Elbow**

<https://www.sciencedirect.com/science/article/abs/pii/S1350630721006956>

### **Degradation Analysis of Polymeric Pipe Materials Used for Water Supply Systems Under Various Disinfectant Conditions**

<https://www.sciencedirect.com/science/article/abs/pii/S0045653521031416>

### **Reanalysis of the Creep Test Data and Failure Behaviour of Polyethylene and Its Copolymers**

<https://link.springer.com/article/10.1007/s11665-021-06360-5>

### **Water Quality Deterioration of Reclaimed Water Produced by Reverse Osmosis Process in Large Pilot-scale Distribution Systems of Different Pipe Materials**

<https://iwaponline.com/jwr/article/doi/10.2166/wrd.2021.042/84884/Water-quality-deterioration-of-reclaimed-water>

### **Role of Expansion Angle and Speed on Expansion Pipe Extruder Head Explored by High Temperature Rapid Stretch**

<https://www.sciencedirect.com/science/article/pii/S0142941821003329>

### **Investigation of Compositional Effects of Virgin and Recycled HDPE on Mechanical Properties of Pipe**

<https://www.proquest.com/openview/affe8576f1ae84314796f6e3c5c1c598/1?pq-origsite=gscholar&cbl=2040555>

**Experimental and Numerical Investigations on Damage Assessment of HDPE Pipe Subjected to Blast Loads**

<https://www.sciencedirect.com/science/article/abs/pii/S1350630721007172!>

**Determination of Blasting Vibration Safety Criterion for HDPE Pipeline Using Vibration and Strain Data**

<https://www.mdpi.com/1424-8220/21/21/7252/pdf>

**Thermal Conductive PE Pipes with Low Filler Content Based Using Graphene and Carbon Nanotubes**

<https://onlinelibrary.wiley.com/doi/abs/10.1002/app.51838>

**Thermoplastic Composite Pipes and Comparison of Composite Failure Criteria**

<https://www.sciencedirect.com/science/article/abs/pii/S0263822321012757>

**Application of Different Imaging Techniques for the Characterization of Damage in Fibre Reinforced Polymer**

<https://www.sciencedirect.com/science/article/abs/pii/S1359835X21002979>

**PLASTIC PIPE FAILURE ANALYSIS**

**Failure Analysis of Plastic Pipes**

If you are looking for an expert witness for your case involving plastic pipe failure analysis, then you can't beat the team at ExcelPlas Consulting. Our team is setting a new standard for excellence in failure analysis of plastic articles but especially plastic pipe. For plastic pipe, this includes HDPE, PVC & CPVC pipe as well as other plastic piping systems like Hobas GRP pipe, PP-R Pipe, and spoolable composite pipe. When a plastic pipeline fails to perform as intended, our team can determine the root cause (chemical failure, oxidative failure, creep failure, overstress failure, fatigue failure, design failure, etc). We are experts in HDPE water pipe failures, CPVC sprinkler pipe failure, PVC pipe failure analysis and PP-R Oxidation/Degradation investigations.

<https://www.excelplas.com/wp-content/uploads/2020/01/Excelplas-A4-Brochure-4pp-Plastic-Pipe-Testing-NTs.pdf>

## **ExcelPlas Investigating Poly Pipe Failures**

Through failure analysis & forensic chemistry, we help clients improve product performance, increase profits, & resolve product liability claims with plastic pipes and fittings.

We are dedicated to unmatched excellence in failure analysis, investigative chemistry, material testing, and expert witnessing for plastics, polymers and composites.

With over 25 years of investigative experience, the staff at ExcelPlas are uniquely positioned to help clients resolve the most challenging performance and processing issues related to materials and finished pipes and fittings.

<https://www.excelplas.com/contact-us/>

## **Cautionary Warning: Some PEX Piping is Prone to Development of Cracks Due to Early Oxidation**

ExcelPlas Labs have developed a three-step testing program to detect the early failure of **PEX** pipes and their expected service lifetime.

The 3 Step Testing is based on:

- Oxidative Induction Time (OIT) testing to determine the residual level of oxidative stability (i.e. thermal stability)
- Quantitative Additive Analysis (QAA) to determine the type and level of protective antioxidants and stabilizers present.
- Scanning Microscopy on the inner surface after bend back to image developing microcracks

Samples of **PEX** pipe just 10 cm long are needed for the analysis. 7 Day turnaround on test reports.

<https://www.excelplas.com/wp-content/uploads/2020/01/Excelplas-A4-Brochure-4pp-Plastic-Pipe-Testing-NTs.pdf>

MORE POLY PIPE NEWS

## **New Digital News Platform for Communicating to the Global Plastic Pipe Industry**

Send Us Your News!!! PPN Publishes weekly.

<https://www.youtube.com/watch?v=eUKxWbOZY10>

---

### **ExcelPlas Labs Pipe Failure Investigations**

ExcelPlas Labs have created a new benchmark in failure analysis of HDPE, PP-R, PB and PEX pipes in addition to PVC & CPVC pipes as well as composite GRP and GRE pipes. When a plastic pipeline fails to perform as intended, our team can determine the root cause of failure (e.g. oxidative failure, chemical failure, creep failure, over-stress failure, fatigue failure, design failure, etc). ExcelPlas are experienced with all plastic piping failure modes and mechanisms including Slow Crack Growth (SCG) Rapid Crack Propagation (RCP), Environmental Stress Crack Resistance (ESCR), Oxidative Stress Cracking (OSC), cyclic fatigue, manufacturing defects, and polymer material problems.

<http://www.excelplas.com/>

### **ExcelPlas Strain Hardening Test (SHT) for HDPE Pipes**

The SHT in accordance with ISO 18488 is a relatively new, but excellent way to obtain a rapid indication of the Stress Crack Growth (SCG) resistance of your piping material. This tensile test performed at 80°C has become in just a few years the new standard for Batch Release Testing (BRT). And not without reason. The test requires only a very small amount of material, the results are very reliable with a very low inter-laboratory scatter and the results are available within a few days, regardless of the PE grade. The SHT is usually performed on resin material but it can also be performed on samples taken directly from pipes or sheets. As accredited lab, EXCELPLAS is happy to discuss the possibilities with you, whether it is for BRT, benchmarking, quality control of your (high performing) PE grade or for polymer compliance/ validation.

<http://www.excelplas.com/>

### **Australia's Plastic Pipe Testing Laboratory**

ExcelPlas Laboratories provides a comprehensive plastic pipe joint testing service and is equipped with a state-of-the-art laboratory to test a range of polymer materials including polyethylene and polypropylene. ExcelPlas can carry out testing on plastic tube and pipe ranging in wall thickness from 3mm to 1200mm. ExcelPlas Laboratories provide a comprehensive service to Industrial & commercial companies, environmental consultants, Government bodies, and local Authority customers throughout Australia and Asia. All testing is carried and out in accordance with ASTM, ISO & WIS methods and is fully accredited to ISO 17025 by NATA.

- Butt Fusion Weld Testing
- Weld Testing
- Testing of Electro-fusion Welds

- Tear on saddle joints
- Crush De-cohesion of Electro-fusion welds
- Polymer & Plastics Identification
- Chemical & Thermal Testing
- Site Audits

<http://www.excelplas.com/>

## **ExcelPlas - the Australian Pipes & Fittings Testing Laboratory**

- Accredited to ISO 17025 by the National Association of Testing Authorities (NATA) Australia, and is Australia's largest laboratory dedicated for the testing of plastic pipes and fittings to various Standards which include Australian, European and International Standards.
- The staff employed at the laboratory have a combined experience of more than 85 years within the plastics industry specifically with manufacturing, quality control and the research and development of plastic piping systems including HDPE, PEX, PP-R, PVC, U-PVC, M-PVC, O-PVC, ABS, GRP, GRE and PB.
- Services provided include conformance testing, compliance testing, batch release testing, root cause analysis for field failures and non-destructive testing of samples.
- <http://www.excelplas.com/>

## **ExcelPlas Lab Specialising in HDPE Pipe Condition Monitoring, Failure Analysis and Testing**

In the event of a HDPE butt weld or electrofusion weld failing during initial testing, or in service, we can conduct investigations to assist in identifying the root cause of the failure.

This service also extends to the premature failure of the pipe or fitting itself.

<http://www.excelplas.com/plastic-pipes>

## **ExcelPlas Pipe Testing is a Leader in the Field of Polyethylene (PE) and High-Density Polyethylene (HDPE) Testing**

ExcelPlas is accredited with the National Association of Testing Authorities (NATA) for butt weld tests, bend and tensile tests, peel decohesion tests on electro fusion sockets and failure mode determination

<http://www.polypipetesting.com.au/butt-fusion-welds/>

**New UHMWPE Pipe for Tailing Offers Greater Than 4X the Abrasion Resistance of PE100 (Australia wide)**

<http://slurrypipes.com.au/>

**ExcelPlas Poly Pipe Weld Inspection Lists Top 7 Causes of Weld Failure:**

- Lack of scraping
- Inaccurate scraping
- Contamination from dirt, water, oil or clays
- Lack of Paralell-ness of fusion faces
- Misalignment of surfaces
- Time, temperature and pressure deviations
- Not adhering to cool times

We have extensive experience in inspection of poly pipe welds for assuring welded joint quality. Direct Poly Pipe Inspection ensures that operators are following the proven welding procedure; this reduces the occurrences of operational errors which lead to defects such as inclusions, lack of fusion (LoF), porosity and misalignment.

More information, contact [john@excelplas.com](mailto:john@excelplas.com)

**Get Your HDPE Pipe Products or Services Noticed – Advertise in Poly Pipe News (PPN) Australia**

<https://www.polypipenews.com.au/advertise/>

**This Newsletter is brought to you by Excelplas Labs, Australia's Largest group of Poly Pipe Testing Labs.**

Pipe Poly News (PPN) is now Australia's most current and comprehensive source of news on Polyethylene pipes and Poly Pipe Welding;

Poly Pipe News is now sent to over 4500 Poly Pipe Industry Members every week.



Any news requests should be sent to [john@excelplas.com](mailto:john@excelplas.com)  
To subscribe, visit <https://www.polypipenews.com.au/subscribe/>

2021 Copyright ExcelPlas Labs

PPN is owned and operated by ExcelPlas Pty Ltd. By subscribing to PPN you agree to receiving regular PPN newsletters as well as the PPN platform using your email contact details to enhance the performance and functionality of PPN and its analytics reports. These email contact details allow PPN to track page views and create more targeted and relevant content. PPN provides an unsubscribe link on the bottom of each PPN newsletter.